



BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 2/11/2021 Revision date: 3/26/2025 Supersedes: 2/11/2021 Version: 2.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®
Product code : M74122

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Supplier's details

JR Simplot Company
P.O. Box 70013
Boise, ID, 83707
T 1-208-336-2110

1.5. Emergency phone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation
H318 - Causes serious eye damage

Precautionary statements (GHS US) : P264 - Wash hands, Any exposed skin thoroughly after handling.
P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a doctor.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P332+P313 - If skin irritation occurs: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
urea (57-13-6)	CAS-No.: 57-13-6	30-50	Eye Irrit. 2B, H320
aluminium sulphate	CAS-No.: 10043-01-3	20-40	Skin Irrit. 2, H315 Eye Dam. 1, H318
Monoammonium Phosphate	CAS-No.: 7722-76-1	1-10	Eye Irrit. 2B, H320 STOT SE 3, H335
Iron Oxysulfate	-	1-10	Eye Irrit. 2B, H320

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Multicolored granules.
Color	: Mixture contains one or more component(s) which have the following color(s): White Colourless to white Commercial substance: grey-green Colorless
Odor	: There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odor: Odourless In moist air: Ammonia odour
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: Not applicable
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 57.2 lbs/ft3
Solubility	: Soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable
Particle characteristics	: No data available

urea (57-13-6)

Particle characteristics	No data available
--------------------------	-------------------

aluminium sulphate

Particle characteristics	No data available
--------------------------	-------------------

Monoammonium Phosphate

Particle characteristics	No data available
--------------------------	-------------------

Iron Oxysulfate

Particle characteristics	No data available
--------------------------	-------------------

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

urea (57-13-6) (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)
ATE US (oral)	8471 mg/kg body weight

aluminium sulphate (10043-01-3)	
LD50 oral rat	2000 – 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Hydrate form, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Hydrate form, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value of similar product, Aqueous solution, Inhalation (aerosol), 14 day(s))
ATE US (oral)	2000 mg/kg body weight

Monoammonium Phosphate (7722-76-1)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg Source: International Uniform Chemical Information Database
LC50 Inhalation - Rat	> 5 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))

Skin corrosion/irritation : Causes skin irritation.

urea (57-13-6) (57-13-6)	
pH	7.2 (10 %)

aluminium sulphate (10043-01-3)	
pH	2 (8 %)

Monoammonium Phosphate (7722-76-1)	
pH	3.6 – 4 (1 %)

Serious eye damage/irritation : Causes serious eye damage.

urea (57-13-6) (57-13-6)	
pH	7.2 (10 %)

aluminium sulphate (10043-01-3)	
pH	2 (8 %)

Monoammonium Phosphate (7722-76-1)	
pH	3.6 – 4 (1 %)

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Monoammonium Phosphate (7722-76-1)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®	
Viscosity, kinematic	Not applicable

urea (57-13-6) (57-13-6)	
Viscosity, kinematic	Not applicable (solid)

aluminium sulphate (10043-01-3)	
Viscosity, kinematic	Not applicable (solid)

Monoammonium Phosphate (7722-76-1)	
Viscosity, kinematic	No data available

Iron Oxysulfate	
Viscosity, kinematic	No data available

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

urea (57-13-6) (57-13-6)	
LC50 - Fish [1]	> 6810 mg/l (96 h; Leuciscus idus; Nominal concentration)
EC50 - Crustacea [1]	> 10000 mg/l (48 h; Daphnia magna; Nominal concentration)
LC50 - Fish [2]	17500 mg/l (96 h; Poecilia reticulata)
EC50 - Crustacea [2]	> 10000 mg/l (24 h; Daphnia magna)
EC50 72h - Algae [1]	24541.9 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	42184 mg/l Source: Ecological Structure Activity Relationships
TLM - Fish [1]	17500 ppm (96 h; Poecilia reticulata)

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

urea (57-13-6) (57-13-6)	
Threshold limit - Other aquatic organisms [1]	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit - Other aquatic organisms [2]	> 10000 mg/l (Pseudomonas putida)
Threshold limit - Algae [1]	> 10000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
Threshold limit - Algae [2]	47 mg/l (192 h; Microcystis aeruginosa; Growth rate)
aluminium sulphate (10043-01-3)	
LC50 - Fish [1]	> 88 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Aluminium)
EC50 - Crustacea [1]	> 200 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	14 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Monoammonium Phosphate (7722-76-1)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
ErC50 algae	> 97.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®	
Persistence and degradability	Rapidly degradable
urea (57-13-6) (57-13-6)	
Persistence and degradability	Inherently biodegradable, Hydrolysis in water, Not established.
ThOD	0.27 g O ₂ /g substance
aluminium sulphate (10043-01-3)	
Persistence and degradability	Biodegradability: not applicable, Hydrolysis in water, Not established.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Monoammonium Phosphate (7722-76-1)	
Persistence and degradability	Biodegradability in water: no data available, Not established.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Iron Oxysulfate	
Persistence and degradability	Not established.

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

urea (57-13-6) (57-13-6)	
BCF - Fish [1]	1 (72 h; Brachydanio rerio; Fresh water)
BCF - Other aquatic organisms [1]	11700 (Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.

aluminium sulphate (10043-01-3)

Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.
---------------------------	-----------------------------------------------------------------

Monoammonium Phosphate (7722-76-1)

Bioaccumulative potential	Not bioaccumulative. Not established.
---------------------------	---------------------------------------

Iron Oxysulfate

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

urea (57-13-6) (57-13-6)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-1.43 – -1.19 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

aluminium sulphate (10043-01-3)

Surface tension	73 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Ecology - soil	No (test)data on mobility of the substance available.

Monoammonium Phosphate (7722-76-1)

Ecology - soil	No (test)data on mobility of the substance available.
----------------	-------------------------------------------------------

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14 Transport information

14.1. UN number

UN-No. (DOT)	: Not applicable
--------------	------------------

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (TDG) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT
Transport hazard class(es) (DOT) : Not applicable

TDG
Transport hazard class(es) (TDG) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not applicable

TDG
Not applicable

IMDG
Not applicable

IATA
Not applicable

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Iron Oxysulfate	CAS-No.	1-10%
-----------------	---------	-------

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium sulphate (10043-01-3)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

urea (57-13-6) (57-13-6)
Listed on the Canadian DSL (Domestic Substances List)

aluminium sulphate (10043-01-3)
Listed on the Canadian DSL (Domestic Substances List)

Monoammonium Phosphate (7722-76-1)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

urea (57-13-6) (57-13-6)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Monoammonium Phosphate (7722-76-1)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
aluminium sulphate(10043-01-3)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 3/26/2025

Issue date : 2/11/2021

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H318	Causes serious eye damage
H320	Causes eye irritation
H335	May cause respiratory irritation

BEST Short Kut Mini Gold 30-3-3 with GAL-Xe ONE®

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet (SDS), USA

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.