



# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 11/1/2021 Revision date: 4/21/2025 Supersedes: 11/1/2021 Version: 2.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron  
Product code : M80187

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

No additional information available

#### 1.4. Supplier's details

JR Simplot Company  
P.O. Box 70013  
Boise, ID, 83707  
T 1-208-336-2110

#### 1.5. Emergency phone number

Emergency number : CHEMTREC 1-800-424-9300

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Acute toxicity (oral), Category 4	H302	Harmful if swallowed.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2B	H320	Causes eye irritation.
Carcinogenicity, Category 1A	H350	May cause cancer.
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger  
Hazard statements (GHS US) : H302 - Harmful if swallowed  
H315 - Causes skin irritation  
H320 - Causes eye irritation  
H335 - May cause respiratory irritation  
H350 - May cause cancer.  
Precautionary statements (GHS US) : P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves.  
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.  
P302+P352 - If on skin: Wash with plenty of water.  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P312 - Call a poison center or doctor if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P330 - Rinse mouth.  
P332+P313 - If skin irritation occurs: Get medical advice or attention.  
P337+P313 - If eye irritation persists: Get medical advice or attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
formaldehyde/urea,resins	CAS-No.: 9011-05-6		Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
urea (57-13-6)	CAS-No.: 57-13-6		Eye Irrit. 2B, H320
Monoammonium Phosphate	CAS-No.: 7722-76-1		Eye Irrit. 2B, H320 STOT SE 3, H335
quartz	CAS-No.: 14808-60-7		Eye Irrit. 2B, H320 Carc. 1A, H350 STOT SE 3, H335 STOT RE 2, H373
ammonium sulphate	CAS-No.: 7783-20-2		Eye Irrit. 2B, H320 STOT SE 3, H335
Proprietary*	CAS-No.: Not Applicable		Not classified

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

### SECTION 4 First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell. Rinse mouth.

#### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Mild eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

##### For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel.
- Environmental precautions : Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.2. Methods and materials for containment and cleaning up

- For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.
- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

### 7.2. Conditions for safe storage, including incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.
- Packaging materials : Store always product in container of same material as original container.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

quartz (14808-60-7)	
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO <sub>2</sub> +5)) for mppcf and (10 mg/m <sup>3</sup> / (%SiO <sub>2</sub> +2)) for mg/m <sup>3</sup> . CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

<b>Hand protection:</b>
Protective gloves
<b>Eye protection:</b>
Safety glasses
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.

#### Personal protective equipment symbol(s):



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Solid
Color	: Mixture contains one or more component(s) which have the following color(s): Colorless White to light grey White Colourless to white Colourless-white Unpurified: grey-brown Colourless or white Commercial substance: grey-green
Odor	: There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odor: Odourless In moist air: Ammonia odour Mild odour
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable
Particle characteristics	: No data available

<b>Proprietary*</b>	
Particle characteristics	No data available

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

urea (57-13-6)	
Particle characteristics	No data available

quartz	
Particle characteristics	No data available

ammonium sulphate	
Particle characteristics	No data available

formaldehyde/urea,resins	
Particle characteristics	No data available

Monoammonium Phosphate	
Particle characteristics	No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Simplot Turf &amp; Horticulture 24-4-12 Contains UF-39 Ureaform &amp; 4% Iron</b>	
ATE US (oral)	1154.434 mg/kg body weight
<b>urea (57-13-6) (57-13-6)</b>	
LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)
ATE US (oral)	8471 mg/kg body weight
<b>ammonium sulphate (7783-20-2)</b>	
LD50 oral rat	4250 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	4250 mg/kg body weight
<b>formaldehyde/urea,resins (9011-05-6)</b>	
LD50 oral rat	8394 mg/kg (Rat)
LD50 dermal rat	> 2100 mg/kg (Rat)
ATE US (oral)	8394 mg/kg body weight
<b>Monoammonium Phosphate (7722-76-1)</b>	
LD50 oral rat	> 2000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg Source: International Uniform Chemical Information Database
LC50 Inhalation - Rat	> 5 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
<b>urea (57-13-6) (57-13-6)</b>	
pH	7.2 (10 %)
<b>quartz (14808-60-7)</b>	
pH	6 – 7
<b>ammonium sulphate (7783-20-2)</b>	
pH	5.5 (1.3 %)
<b>formaldehyde/urea,resins (9011-05-6)</b>	
pH	7 (66 %)
<b>Monoammonium Phosphate (7722-76-1)</b>	
pH	3.6 – 4 (1 %)
Serious eye damage/irritation	: Causes eye irritation.
<b>urea (57-13-6) (57-13-6)</b>	
pH	7.2 (10 %)

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

quartz (14808-60-7)	
pH	6 – 7
ammonium sulphate (7783-20-2)	
pH	5.5 (1.3 %)
formaldehyde/urea,resins (9011-05-6)	
pH	7 (66 %)
Monoammonium Phosphate (7722-76-1)	
pH	3.6 – 4 (1 %)

Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : May cause cancer.

quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity : Not classified  
STOT-single exposure : May cause respiratory irritation.

quartz (14808-60-7)	
STOT-single exposure	May cause respiratory irritation.
ammonium sulphate (7783-20-2)	
STOT-single exposure	May cause respiratory irritation.
formaldehyde/urea,resins (9011-05-6)	
STOT-single exposure	May cause respiratory irritation.
Monoammonium Phosphate (7722-76-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
quartz (14808-60-7)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron	
Viscosity, kinematic	Not applicable
Proprietary* (Not Applicable)	
Viscosity, kinematic	No data available
urea (57-13-6) (57-13-6)	
Viscosity, kinematic	Not applicable (solid)
quartz (14808-60-7)	
Viscosity, kinematic	No data available
ammonium sulphate (7783-20-2)	
Viscosity, kinematic	Not applicable (solid)

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Proprietary* (Not Applicable)</b>	
<b>formaldehyde/urea,resins (9011-05-6)</b>	
Viscosity, kinematic	No data available
<b>Monoammonium Phosphate (7722-76-1)</b>	
Viscosity, kinematic	No data available
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Mild eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

<b>urea (57-13-6) (57-13-6)</b>	
LC50 - Fish [1]	> 6810 mg/l (96 h; <i>Leuciscus idus</i> ; Nominal concentration)
EC50 - Crustacea [1]	> 10000 mg/l (48 h; <i>Daphnia magna</i> ; Nominal concentration)
LC50 - Fish [2]	17500 mg/l (96 h; <i>Poecilia reticulata</i> )
EC50 - Crustacea [2]	> 10000 mg/l (24 h; <i>Daphnia magna</i> )
EC50 72h - Algae [1]	24541.9 mg/l Test organisms (species): <i>Raphidocelis subcapitata</i> (previous names: <i>Pseudokirchneriella subcapitata</i> , <i>Selenastrum capricornutum</i> )
EC50 96h - Algae [1]	42184 mg/l Source: Ecological Structure Activity Relationships
TLM - Fish [1]	17500 ppm (96 h; <i>Poecilia reticulata</i> )
Threshold limit - Other aquatic organisms [1]	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit - Other aquatic organisms [2]	> 10000 mg/l ( <i>Pseudomonas putida</i> )
Threshold limit - Algae [1]	> 10000 mg/l (168 h; <i>Scenedesmus quadricauda</i> ; Growth rate)
Threshold limit - Algae [2]	47 mg/l (192 h; <i>Microcystis aeruginosa</i> ; Growth rate)

<b>ammonium sulphate (7783-20-2)</b>	
LC50 - Fish [1]	53 mg/l (96 h, <i>Oncorhynchus mykiss</i> , Fresh water)
EC50 - Crustacea [1]	169 mg/l (48 h, <i>Daphnia magna</i> , Static system, Fresh water)

<b>formaldehyde/urea,resins (9011-05-6)</b>	
LC50 - Fish [1]	> 500 mg/l (96 h; <i>Leuciscus idus</i> ; Estimated value)
EC50 - Crustacea [1]	65000 mg/l ( <i>Daphnia magna</i> ; QSAR)

<b>Monoammonium Phosphate (7722-76-1)</b>	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Oncorhynchus mykiss</i> , Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): <i>Daphnia magna</i>

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Monoammonium Phosphate (7722-76-1)</b>	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
ErC50 algae	> 97.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

### 12.2. Persistence and degradability

#### Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Proprietary\* (Not Applicable)

Persistence and degradability	Not established.
-------------------------------	------------------

#### urea (57-13-6) (57-13-6)

Persistence and degradability	Inherently biodegradable, Hydrolysis in water, Not established.
ThOD	0.27 g O <sub>2</sub> /g substance

#### quartz (14808-60-7)

Persistence and degradability	Biodegradability: not applicable, Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### ammonium sulphate (7783-20-2)

Persistence and degradability	Biodegradability in water: no data available, Not established.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

#### formaldehyde/urea,resins (9011-05-6)

Persistence and degradability	Not readily biodegradable in water, Not established.
-------------------------------	--

#### Monoammonium Phosphate (7722-76-1)

Persistence and degradability	Biodegradability in water: no data available, Not established.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

### 12.3. Bioaccumulative potential

#### Proprietary\* (Not Applicable)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### urea (57-13-6) (57-13-6)

BCF - Fish [1]	1 (72 h; Brachydanio rerio; Fresh water)
BCF - Other aquatic organisms [1]	11700 (Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

urea (57-13-6) (57-13-6)	
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
quartz (14808-60-7)	
Partition coefficient n-octanol/water (Log Pow)	Not applicable
Bioaccumulative potential	No bioaccumulation data available. Not established.
ammonium sulphate (7783-20-2)	
Partition coefficient n-octanol/water (Log Pow)	-5.1 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
formaldehyde/urea,resins (9011-05-6)	
Bioaccumulative potential	No bioaccumulation data available. Not established.
Monoammonium Phosphate (7722-76-1)	
Bioaccumulative potential	Not bioaccumulative. Not established.

### 12.4. Mobility in soil

urea (57-13-6) (57-13-6)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-1.43 – -1.19 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
ammonium sulphate (7783-20-2)	
Ecology - soil	Adsorption to soil is possible.
Monoammonium Phosphate (7722-76-1)	
Ecology - soil	No (test)data on mobility of the substance available.

### 12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

## SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

## SECTION 14 Transport information

### 14.1. UN number

UN-No. (DOT)	: Not applicable
UN-No. (TDG)	: Not applicable
UN-No. (IMDG)	: Not applicable

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IATA) : Not applicable

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not applicable  
Proper Shipping Name (TDG) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not applicable

**TDG**  
Transport hazard class(es) (TDG) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

### 14.4. Packing group

Packing group (DOT) : Not applicable  
Packing group (TDG) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

**DOT**  
Not applicable

**TDG**  
Not applicable

**IMDG**  
Not applicable

**IATA**  
Not applicable

## SECTION 15 Regulatory information

### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Proprietary*	CAS-No. Not Applicable	%
--------------	------------------------	---

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### CANADA

##### urea (57-13-6) (57-13-6)

Listed on the Canadian DSL (Domestic Substances List)

##### quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

##### ammonium sulphate (7783-20-2)

Listed on the Canadian DSL (Domestic Substances List)

##### formaldehyde/urea,resins (9011-05-6)

Listed on the Canadian DSL (Domestic Substances List)

##### Monoammonium Phosphate (7722-76-1)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

##### urea (57-13-6) (57-13-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

##### Monoammonium Phosphate (7722-76-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
quartz(14808-60-7)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
ammonium sulphate(7783-20-2)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 4/21/2025

# Simplot Turf & Horticulture 24-4-12 Contains UF-39 Ureaform & 4% Iron

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

Issue date : 11/1/2021

Full text of hazard classes and H-statements	
H302	Harmful if swallowed
H315	Causes skin irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.